

## REMARKS

Applicants have discovered a novel protein, termed RIP15 (see, for example, page 14, lines 12-20, and Figure 5). RIP15 specifically interacts with the retinoid X receptor (RXR) and binds  $\beta$ -retinoic acid response elements ( $\beta$ -RAREs) (pages 16, lines 5-17, and page 24, lines 7-24).

### Office Action

Claims 7, 10, 13-16, and 27-32 are currently pending. Claims 7, 10, 13-16, and 27-32 were also rejected under 35 U.S.C. §§ 101 and 112, first paragraph. Claims 7, 10, 13-16, and 27-32 were rejected under 35 U.S.C. §112, first paragraph. Claims 7, 10, 13-14, 16, 27, 28, and 31-32 were rejected under 35 U.S.C § 102(b). The Examiner also maintains that the application is not entitled to its priority date. Each of these issues is addressed below.

### Rejections under 35 U.S.C. § 101 and § 112, First Paragraph

Claims 7, 10, 13-16, and 27-32 were rejected under 35 U.S.C. § 101 and § 112, first paragraph, with the Office stating that the claimed invention is not supported by a substantial or specific asserted utility or by a well established utility that would enable one skilled in the art to use the invention. The Examiner while referring to the Liao reference does not rely upon any evidence in support of these rejections. Given the statements on utility of the claimed invention found in Applicants' specification, these

rejections are therefore in error and should be withdrawn.

The Examiner maintains, for the reasons set forth in the previous Office action, that

[N]o evidence is provided that RIP-15 can inhibit thyroid hormone receptor in hyperthyroidism. Furthermore, no compounds which increase RIP-15 expression is taught in the specification. Applicants further argue that antibodies to RIP-15 can be used to detect or monitor RXR-related disease. However, no evidence has been provided that RIP-15 antibodies can be used to detect hyperthyroidism.

\*\*\*\*

The RXR does not provide nexus to the disease but the protein which binds RXR and RIP-15 is an orphan receptor whose function is not known and does not provide nexus to diseases merely based on interaction with RXR. In fact further experimentation is necessary to determine the function necessary to determine the function of RIP-15 and its nexus to a disease.

As is discussed below and in previous replies, the Examiner has incorrectly applied the standard by which utility of an invention is evaluated and, therefore, each of the utility and enablement rejections should be withdrawn.

In addition, it is Applicants' understanding that, as required by the M.P.E.P. and case law, that the Examiner will either provide a rebuttal for each of Applicants' assertions of utility explained below or will reverse these rejections in view of the clarifications which have been provided during prosecution.

#### **Applicants Assert Four Credible, Specific, and Substantial Utilities**

The analysis to be carried out in making a rejection under 35 U.S.C. § 101 must include a determination of whether an assertion of utility has been made in an Applicants'

specification and, if so, whether that asserted utility is credible (*i.e.*, whether the assertion of utility is believable to a person of ordinary skill in the art based on the totality of evidence and reasoning provided; M.P.E.P. § 2107.01-III(B)).

In the present case, Applicants assert the utilities described below. Applicants submit that, absent data or evidence to the contrary provided by the Examiner, it is credible that administration of RIP15 protein or a compound that increases RIP15 expression will ameliorate RXR-associated conditions, and further that detection of decreased RIP15 levels in a subject using an anti-RIP15 antibody will identify subjects at increased risk for these conditions. Nonetheless, while the Office has stated that these utilities are not credible, no evidence has been provided that may be relied upon to reach this conclusion, as the Guidelines require. In particular, the Guidelines state that the Office

must treat as true any statement of fact made by the Applicant in relation to the asserted utility, unless countervailing evidence can be provided that shows that one of ordinary skill in the art would have a legitimate basis to doubt the credibility of such a statement... [I]t is improper to disregard the opinion [of a qualified expert] solely because of a disagreement over the significance or meaning of the facts offered. (M.P.E.P. § 2107, emphasis added)

To be properly rejected under § 101, the Guidelines set forth that a case must represent one of those rare instances that meets the stringent criterion of being “totally incapable of achieving a useful result,” *Brooktree Corp. v. Advanced Micro Devices, Inc.*, 977 F.2d 1555 (Fed. Cir. 1992), as cited in the Legal Analysis accompanying the Utility Examination Guidelines (M.P.E.P. § 2107.01-II). The only instances in which the federal

courts have found a lack of patentable utility were where, “based upon the factual record of the case, it was clear that the invention could and did not work as the inventor claimed it did” (M.P.E.P. § 2107.01-II, emphasis added). These rare cases have been ones in which the applicant either (a) failed to disclose any utility for the invention, or (b) asserted a utility that could be true only “if it violated scientific principle, such as the second law of thermodynamics, or a law of nature, or was wholly inconsistent with contemporary knowledge in the art” (M.P.E.P. § 2107.02-IIIB).

Procedurally, the M.P.E.P. makes clear that the burden is on the Office to provide a detailed, reasoned explanation for the rejection that is supported, if possible, by documentary evidence indicating why the asserted utility is more likely than not “incredible.” “An applicant’s assertion of utility creates a presumption of utility” (M.P.E.P. § 2107.01-III(A)); “Where an applicant has specifically asserted that an invention has a particular utility, that assertion cannot simply be dismissed by Office personnel as being ‘wrong,’ even when there may be reason to believe that the assertion is not entirely accurate” (M.P.E.P. § 2107.01-III(B)). Conversely, if the Office determines that the claimed invention has a credible utility, neither a 35 U.S.C. § 101 nor a related 35 U.S.C. § 112 rejection may be applied (or, upon rebuttal of the Office's position, both rejections must be simultaneously reversed).

In the present case, Applicants, as discussed below, assert four utilities in the specification, that are, on their face, credible. Applicants assert that the present invention provides RIP15 protein that can be used directly as a therapeutic, used to identify

potential therapeutics that lead to decreased RXR activity, or used to generate diagnostic anti-RIP15 antibodies whereas, prior to the present invention, this was not possible because RIP15 was unavailable and its function was not known. At least some of the identified compounds that increase RIP15 expression are expected to have the proposed therapeutic activity of treating a RXR-associated disease (particularly hyperthyroidism). Additionally, one skilled in the art would appreciate that RIP15's ability to bind a  $\beta$ -RARE enables RIP15 to be used for the isolation or purification of a  $\beta$ -RARE from, for example, synthetic DNA libraries, genomic libraries, or cell lysates. The Examiner has provided no evidence to dispute any of these utilities, and on this basis alone the rejection should be reversed.

#### **Standards for Satisfying the Utility Requirement**

Applicants first note that the Utility Examination Guidelines (66 CFR 1092-1099) and Revised Interim Utility Guidelines Training Materials outline the criteria to determine the utility of an invention. The utility of an invention must be specific and substantial or well-established. In defining the metes and bounds of a specific utility, the Revised Interim Utility Guidelines Training Materials require that:

a utility [be] specific to the subject matter claimed. This contrasts with a general utility that would be applicable to the broad class of the invention ... A general statement of diagnostic utility, such as diagnosing an unspecified disease, would ordinarily be insufficient absent a disclosure of what condition can be diagnosed (paragraph bridging pages 5 and 6; emphasis added).

By implication, therefore, the specific utility of a particular protein may be established by the disclosure of a specific disease or condition with which it is associated.

Likewise, a substantial utility is established by a “real world” context of use, such as the identification of a material which has a correlation to, or impacts the onset or progression of a particular disease or condition. Specifically, the Revised Interim Utility Guidelines state:

both a therapeutic method of treating a known or newly discovered disease and an assay method for identifying compounds that themselves have a “substantial utility” define a “real world” context of use. An assay that measures the presence of a material which has a stated correlation to a predisposition to the onset of a particular disease condition would also define a “real world” context of use in identifying potential candidates for preventive measures or further monitoring (page 6; emphasis added).

Thus, a component of an assay method for identifying candidate compounds which may be used for treating a specific disease itself has substantial utility. Similarly, components of an assay method for measuring the presence of a material associated with a risk of disease have substantial utility.

Alternatively, the utility requirement of 35 U.S.C. § 101 can also be satisfied by identifying a well established utility which is defined in the Revised Interim Utility Guidelines Training Materials as:

A specific, substantial, and credible utility which is well known, immediately apparent, or implied by the specification’s disclosure of the properties of a material, alone or taken with the knowledge of one skilled in the art (page 7; emphasis added).

Of course, in evaluating the utility of the invention, the credibility of the disclosure must be assessed. Credibility must be viewed from the perspective of a person of ordinary skill in the art and should be based on the totality of the evidence (specification and prior art) and reasoning provided.

The Federal Circuit in *In re Brana*, 51 F.3d 1560 (Fed. Cir. 1995) has articulated the standard to be applied by the PTO in any challenge to an assertion of utility. In this case, the court stated:

the PTO has the initial burden of challenging a presumptively correct assertion of utility in the disclosure. [citation omitted]. Only after the PTO provides evidence showing that one of ordinary skill in the art would reasonably doubt the asserted utility does the burden shift to the applicant to provide rebuttal evidence sufficient to convince such a person of the invention's asserted utility (page 1566; emphasis added).

The Examiner has failed to carry this burden. As discussed below, Applicants assert the specific and substantial utilities of using RIP15 (i) to inhibit RXR function in a subject for the treatment of an RXR-associated disease, such as hyperthyroidism, (ii) to identify a compound that increases RIP15 expression as a treatment for an RXR-associated disease (e.g., hyperthyroidism), and (iii) to generate an anti-RIP15 antibody for the detection or monitoring of an RXR-associated disease (e.g., hyperthyroidism). Further, the Examiner has presented no credible evidence that would cause a person of ordinary skill to doubt the asserted utilities of the present invention. On these bases, this rejection should be withdrawn.

### **Specific Functions of RIP15**

The present invention is based on Applicants' discovery of a novel receptor, RIP15, that interacts with the retinoid X receptor (RXR). The specificity of the interaction of RIP15 with RXR is demonstrated by the lack of interaction between RIP15 and other nuclear receptors, such as TR, RAR, MB67, and GR (page 16, Table 1). Additionally, heterodimers of RIP15 and RXR bind DNA specifically. In particular,

RIP15 binds a  $\beta$ -RARE ( $\beta$ -retinoic acid response element) in the presence of RXR. Moreover, Applicants discovered that RIP15 completely blocks RXR-dependent transcription of a reporter gene linked to a  $\beta$ -RARE in a mammalian cell-based assay (page 24, lines 7 to 24, and Figure 9). Thus, Applicants' specification demonstrates several important facts about RIP15 specificity that are the basis for Applicants' asserted utilities.

**RIP15 Has Therapeutic Utility  
for the Treatment of RXR-Associated Diseases**

The disclosed ability of RIP15 to eliminate RXR-dependent activation of  $\beta$ -RARE linked genes strongly supports the specific utility of RIP15, analogs of RIP15, and fragments of RIP15 as therapeutics for the inhibition of RXR function in a subject (page 40, lines 8 to 19, and page 42). As stated on page 2, lines 14-24, of the specification:

members of the RXR family play important roles in several aspects of development and central nervous system differentiation as well as in adult physiology. Based on both their specific response to the 9-cis-RA metabolite and their heterodimerization with the RARs, it is clear that the RXRs play a central role in the broad regulatory effects of retinoids. Moreover, their heterodimeric interactions with other family members indicate that the RXRs also play a central role in response to thyroid hormone, vitamin D, and perhaps other compounds.

From this disclosure, a skilled artisan would clearly understand that inhibiting RXR function is desirable for the treatment of diseases associated with an elevated level of hormone (*e.g.*, thyroid hormone, retinoic acid, or vitamin D) or hormone-mediated activity. For example, hyperthyroidism is caused by the production of excess thyroid hormone, and thus hyperthyroidism can be treated by inhibiting the body's response to



thyroid hormone. Because RXR is required for full hormone-dependent transcriptional activity of the thyroid hormone receptor-RXR complex, administration of RIP15 to a subject with hyperthyroidism would be expected to reduce the adverse effects caused by the excess thyroid hormone and the resulting excess thyroid hormone receptor activity (page 2, lines 4-6).

Applicants note that these asserted disease associations are neither general in nature, nor are they inconsistent with what one skilled in the art would expect for the specific disease involvement of RIP15 based on Applicants' disclosure of its ability to inhibit RXR function. Thus, Applicants have asserted a specific, substantial, and credible utility with a "real world" context for RIP15 proteins.

**Compounds that Increase RIP15 Expression Have Utility as Therapeutics for the Treatment of RXR-Associated Diseases**

In addition to direct therapeutic use, RIP15 can also be used in standard methods to identify compounds that increase or decrease its expression and therefore its interaction with RXR (see, for example, page 34, line 28 through page 35, line 12). One skilled in the art would appreciate that compounds that increase RIP15 expression are also useful for the treatment of diseases associated with an elevated level of hormone or hormone-mediated activity (e.g., hyperthyroidism). Again, the asserted utility of identifying compounds for the treatment of hyperthyroidism satisfies the criteria for a specific and substantial utility. The credibility of this utility is strongly supported by the disclosed "central role in response to thyroid hormone" of RXR and the reasonable conclusion that inhibiting RXR function is desirable for the treatment of diseases

associated with elevated thyroid hormone levels or activity (page 2, line 23).

**An Anti-RIP15 Antibody Has Utility for the  
Detection or Monitoring of RXR-Associated Diseases**

RIP15 can also be used for the generation of anti-RIP15 antibodies for the detection or monitoring of RXR-related diseases (see, for example, page 40, line 20 through page 41, line 12). For example, anti-RIP15 antibodies can be used to detect decreased levels of RIP15, which are likely associated with increased risk or severity of RXR-associated diseases such as hyperthyroidism. Again, the credibility of this specific and substantial utility is supported by Applicants' discovery of the ability of RIP15 to inhibit RXR function and the reasonable association of decreased RIP15 levels with increased RXR function. A skilled artisan would appreciate the high level of predictability between this increased RXR function and increased risk or severity of RXR-associated diseases such as hyperthyroidism. As the Examiner is aware, a compound (e.g., RIP15 protein) which enables the production of a useful end product (e.g., an anti-RIP15 antibody) is itself patentably useful under 35 U.S.C. § 101. *In re Kirk*, 376 F.2d 936 (C.C.P.A. 1967).

**RIP15 Has Utility for Purifying or  
Isolating  $\beta$ -RARE or  $\beta$ -RARE-Linked Nucleic Acids**

In addition to the above three utilities, the specification also clearly conveys that RIP15 is able to bind a  $\beta$ -RARE, a known and useful material. For example, Sucov *et al.* (U.S.P.N. 5,091,518) reports that  $\beta$ -RAREs can be used to enhance transcriptional activity of promoters (abstract; column 1, lines 10-17; and column 2, lines 26-35). In particular, a  $\beta$ -RARE can be added to a vector encoding a protein of interest to generate

an “enhanced expression system” that is responsive to retinoic acid (column 5, lines 48-50 and column 8, lines 30-41). The binding of RIP15 to  $\beta$ -RAREs allows RIP15 to be used to purify or isolate  $\beta$ -RAREs or  $\beta$ -RARE-linked nucleic acids. This utility would also have been apparent to one skilled in the art reading the specification, as binding of a  $\beta$ -RARE by RIP15 is discussed in the specification on pages 21 and 22. The use of RIP15 to isolate a  $\beta$ -RARE is sufficient to satisfy § 101. As noted above, RIP15 protein, which enables the production of a useful end product (e.g., purified  $\beta$ -RARE), is itself patentably useful under 35 U.S.C. § 101. *In re Kirk*, 376 F.2d 936 (C.C.P.A. 1967).<sup>1</sup>

#### **RIP15 Ligand is not Required for Asserted Utilities**

In addition, contrary to the position taken by the Examiner, Applicants note that none of the four asserted utilities presented above require the identification of a ligand for RIP15. In particular, RIP15 and polypeptides derived from RIP15 can be tested for their ability to inhibit RXR in the cell-based assay described in Applicants’ specification on pages 23 and 24 or in any animal model of disease without the use of a ligand for RIP15. A RIP15 ligand is also not needed to identify therapeutic compounds that modulate RIP15 expression, to generate anti-RIP15 antibodies for diagnostic applications, or to purify a  $\beta$ -RARE.

#### **Summary**

In sum, given the uses of RIP15 based on Applicants’ demonstration of the ability of RIP15 to interact with and inhibit RXR or to bind  $\beta$ -RAREs, the related rejections

---

<sup>1</sup> The Examiner is also reminded that a patent is presumed valid under 35 U.S.C. § 282. Accordingly, one may presume that the utility disclosed in Sucov for the claimed  $\beta$ -RAREs is a valid, credible utility.

under 35 U.S.C. § 101 and § 112, first paragraph should be reversed. It is noted that all assertions must be shown to be incredible for this rejection to stand. For all of the above reasons, the claimed RXR-interacting proteins have both substantial and practical utilities. The burden is on the Examiner to provide a detailed, reasoned explanation for the rejection, and it is Applicants' understanding that the Examiner will either provide a rebuttal for each of Applicants' assertions of utility or will reverse these rejections in view of the clarifications that have been provided during prosecution.

### **35 U.S.C. § 112, First Paragraph - Written Description**

Claims 7, 10, 13, 14, 16, 27, 28, and 31-32 were rejected under 35 U.S.C. § 112, first paragraph, for lack of a written description. This rejection should be withdrawn.

Independent claim 7 requires a substantially pure RXR-interacting protein that includes an amino acid sequence that is at least 85% identical to the amino acid sequence of RIP15 (SEQ ID NO: 3). The other pending independent claim, claim 27, requires an RXR-interacting protein produced by expression of a purified DNA encoding a protein that includes an amino acid sequence that is at least 85% identical to the amino acid sequence of RIP15 (SEQ ID NO: 3). Claims 10 and 28 require 90% identity and 95% identity, respectively, to SEQ ID NO: 3, and claim 32 requires that the protein inhibit retinoid X receptor-dependent activation of a  $\beta$ -RARE-linked nucleic acid.

The present rejection turns, in essence, on the assertion that the "essential feature" of the claimed invention is the RIP15 sequence of SEQ ID NO: 3. This rejection should

be withdrawn.

Applicants again assert that 100% identity to the RIP15 sequence of SEQ ID NO: 3 is not essential to the present invention. In defining the term "RXR-interacting protein," the specification clearly teaches that proteins with at least 85% identity to RIP15 can also interact with RXR:

By "RXR-interacting protein" is meant a polypeptide which directly or indirectly physically interacts with a retinoid X receptor in the in vivo protein interaction assay described herein.... Preferably, such a polypeptide has an amino acid sequence which is at least 85%, preferably 90%, and most preferably 95% or even 99% identical to the amino acid sequence of an interacting protein described herein (e.g., RIP14, RIP15, RIP110, or RIP13) at the point of interaction with the retinoid X receptor, or [is] at least 80% and preferably 90% identical overall.

(Page 5, line 24 through page 6, line 5).

The specification further describes mutations that can be made to the RIP15 sequence to maintain the ability of the protein to interact with RXR. For example, page 6, line 26 through page 7, line 5 of the specification states:

By "substantially identical" is meant an amino acid sequence which differs only by conservative amino acid substitutions, for example, substitution of one amino acid for another of the same class (e.g., valine for glycine, arginine for lysine, etc.) or by one or more non-conservative substitutions, deletions, or insertions located at positions of the amino acid sequence which do not destroy the function of the protein (assayed, e.g., as described herein). Preferably, such a sequence is at least 85%, more preferably 90%, and most preferably 95% identical at the amino acid level to one of the sequences of Figs. 4, 5, 10, and 11 (SEQ ID NOS: 1-5).

Standard methods, such as those described on pages 41-43, can be used to generate proteins with at least 85% sequence identity to the disclosed sequence of RIP15 (SEQ ID NO: 3). These proteins are structurally characterized by this high level of

sequence identity to SEQ ID NO: 3. As 100% sequence identity to SEQ ID NO: 3 is not necessary for the claimed invention, Applicants respectfully assert that it would be unfair to limit the present claims to only those proteins with 100% sequence identity to SEQ ID NO: 3.

Applicants further assert that one skilled in the art would appreciate that the essential feature of the claimed invention is the ability of the claimed proteins to interact with RXR. For example, page 3, line 30 through page 4, line 5 of the specification states:

In a second aspect, the invention features a substantially pure preparation of a retinoid X receptor (RXR)-interacting protein. Preferably, the RXR-interacting protein is RIP14, RIP15, RIP110, or RIP13; or includes an amino acid sequence substantially identical to an amino acid sequence shown in any of Figs. 4, 5, 10, and 11 (SEQ ID NOS: 1-5); is derived from a mammal, for example, a human; binds a  $\beta$ -RARE site in the presence of RXR; or binds an EcRE site in the presence of RXR.

Applicants note that all of the pending claims, through the definition of “RXR-interacting protein,” include the functional limitation that the protein interacts with RXR. Applicants further note that the *in vivo* interaction trap assay described in the specification can readily be used by one skilled in the art to determine whether a protein with at least 85% sequence identity to the sequence of RIP15 (SEQ ID NO: 3) interacts with RXR (see, for example, pages 11-14). Alternatively, a skilled artisan can easily determine whether the protein interacts with RXR by determining whether the protein inhibits RXR-dependent activation of a  $\beta$ -RARE-linked nucleic acid (as disclosed, for example, on page 24, lines 7-24). Other standard methods for determining whether a protein interacts with RXR include gel filtration chromatography and co-

immunoprecipitation assays.

In response to the Office's assertion that a functional limitation cannot be used to limit the claims because RIP15 is an orphan receptor, Applicants again respectfully assert that further characterization of RIP15, such as identification of a ligand for RIP15, is not necessary to distinguish the claimed proteins from other proteins. As stated in the Written Description Guidelines (66 FR 1106),

[f]actors to be considered in determining whether there is sufficient evidence of possession include the level of skill and knowledge in the art, partial structure, physical and/or chemical properties, functional characteristics alone or coupled with a known or disclosed correlation between structure and function, and the method of making the claimed invention. Disclosure of any combination of such identifying characteristics that distinguish the claimed invention from other materials and would lead one of skill in the art to the conclusion that the applicant was in possession of the claimed species is sufficient.

As noted above, the claimed proteins are distinguished from other proteins by both the structural characteristic of having at least 85% sequence identity to SEQ ID NO:3 and by the specific functional characteristic of interacting with RXR. In contrast, RIP15 does not bind other receptors, such as TR, RAR, MB67, and GR (page 16, Table 1).

Additionally, Applicants note that the specification teaches other functional characteristics of RIP15. For example, RIP15 binds a  $\beta$ -RARE in the presence of RXR (claim 15) and inhibits RXR-dependent activation of a  $\beta$ -RARE-linked nucleic acid (claim 32). Based on Applicants' disclosure of these properties and routine assays for determining whether a particular protein has these properties, one skilled in the art would appreciate that Applicants were in possession of the claimed invention.

As clear distinguishing characteristics that are shared by the claimed proteins are disclosed in Applicants' specification, this rejection should be withdrawn.

**35 U.S.C. § 112, First Paragraph - Enablement**

Claims 7, 10, 13-16, and 27-32 stand rejected under 35 U.S.C. § 112, first paragraph, on the basis that the specification fails to enable the skilled artisan to make and use the claimed invention. The Examiner asserts that the specification does not reasonably provide the full scope of enablement for RXR-interacting proteins comprising an amino acid sequence that is at least 85% identical to the amino acid sequence of RIP15 (SEQ ID NO:3).

As an initial matter, Applicants point out that, with respect to claims 29 and 30, there can be no question that the enablement requirement is satisfied, as SEQ ID NO: 3 is presented in Applicants' specification. For this reason alone, the § 112 rejection should be withdrawn.

Applicants further note that undue experimentation is not required by the skilled artisan to make and use the claimed proteins. Sequence analysis software allows the rapid identification of a protein having an amino acid sequence that is 85% (or 90 or 95%) identical to SEQ ID NO: 3. Upon identification, such a protein may be readily tested for an ability to specifically and physically interact with a retinoid X receptor (RXR) in an *in vivo* interaction trap assay using, for example, one of the protein interaction detection assays described in the specification at page 11, line 15, through



page 15, line 12. a skilled artisan can easily determine whether the protein interacts with RXR by determining whether the protein inhibits RXR-dependent activation of a  $\beta$ -RARE-linked nucleic acid (as disclosed, for example, on page 24, lines 7-24). Other routine methods for determining whether a protein interacts with RXR include gel filtration chromatography and co-immunoprecipitation assays.

None of these aforementioned methods constitute undue experimentation. Furthermore, Applicants' provide examples demonstrating that the practice of this invention successfully identifies proteins having the desired characteristics. Applicants' specification has provided sufficient guidance and data to support the scope of the requested claims. Accordingly, applicants respectfully submit that the skilled artisan would have absolutely no difficulty in determining whether any particular protein would fall into the scope of the claimed subject matter, or how to make and use such a protein. The enablement rejection may be withdrawn.

### **Priority**

The Examiner acknowledges Applicants' claim for domestic priority under 35 U.S.C. § 120. Nonetheless, the Examiner maintains that "the provisional application upon which priority is claimed fails to provide adequate support under 35 U.S.C. § 112 for claims 7, 10, 13-14, 16, 27-32 of this application." Applicants disagree.

Application Serial No. 08/372,652, filed January 13, 1995 plainly provides adequate support for the presently claimed subject matter. The Summary of the

Invention, Detailed Description of the Invention, and Example portions of the specification discuss thoroughly the claimed invention. For example, evidence from U.S. Patent Application Serial No. 08/372,652 specification itself supporting the present claims is as follows.

Claims	Exemplary Support in U.S.S.N. 08/372,652 filed January 13, 1995
7. (Previously presented) A substantially pure RXR-interacting protein, comprising an amino acid sequence that is at least 85% identical to the amino acid sequence of RIP15 (SEQ ID NO: 3).	Claims 7 and 10, for example, as filed; and p. 7 (line 2).
10. (Previously presented) The protein of claim 7, comprising an amino acid sequence that is at least 90% identical to the amino acid sequence of RIP15 shown in Figure 5 (SEQ ID NO: 3).	Claims 7 and 10, for example, as filed; and p. 7 (line 3).
13. (Previously presented) The protein of claim 7, wherein said protein is derived from a mammal.	Claim 13, for example, as filed.
14. (Original) The protein of claim 13, wherein said mammal is a human.	Claim 14, for example, as filed.
15. (Previously presented) The protein of claim 13, wherein said protein binds a $\beta$ -retinoic acid response element ( $\beta$ -RARE) in the presence of RXR.	For example, p. 4 (lines 3-4).
16. (Previously presented) The protein of claim 13, wherein said protein binds an ecdysone response element (EcRE) in the presence of RXR.	For example, p. 4 (lines 4-5).
27. (Previously presented) RXR-interacting protein produced by expression of a purified DNA encoding a protein comprising an amino acid sequence that is at least 85% identical to the amino acid sequence of RIP15 (SEQ ID NO: 3).	Claims 27, 17, and 7 for example, as filed; p 3 (line 30) – p. 4 (line 5); and p. 7 (line 2); and p. 4 (lines 18-20).
28. (Previously presented) The protein of claim 7, comprising an amino acid sequence that is at least 95% identical to the amino acid sequence of RIP15 (SEQ ID NO: 3).	Claims 27, 17, and 7 for example, as filed; p 3 (line 30) – p. 4 (line 5); p. 7 (line 3).
29. (Previously presented) The protein of claim 7, comprising an amino acid sequence that is identical to the amino acid sequence of RIP15 (SEQ ID NO: 3).	Claims 27, 17, 7, and 10, for example, as filed; p 9 (lines 14-15); and Figure 5.

30. (Previously presented) The protein of claim 7, wherein the amino acid sequence of said protein is identical to the amino acid sequence of RIP15 (SEQ ID NO: 3).	For example, page 3 (line 30)- page 4 (line 2); claim 10 as filed; and Figure 5.
31. (Previously presented) The protein of claim 7, said protein interacting with a retinoid X receptor in an in vivo interaction trap assay.	For example, p. 2 (lines 27-29); and p. 11 (lines 8-13).
32. The protein of claim 7, said protein inhibiting retinoid X receptor-dependent activation of a $\beta$ -RARE-linked nucleic acid.	For example, p. 40 (lines 8-19).

As U.S. Patent Application Serial No. 08/372,652 provides plain support for Applicants' claimed invention, Applicants are entitled to the priority date of this application.

### **Rejections Under 35 U.S.C. § 102(e) and § 102(b)**

Claims 7, 10, 13, 14, 16, 27, 28, and 32 were again rejected under 35 U.S.C. § 102(e) as being anticipated by Liao *et al.* (U.S.P.N. 5,639,616), a patent stemming from a continuation-in-part application, the parent of which had a filing date of November 10, 1993. Accordingly, the earliest possible § 102(e) date for this reference is November 10, 1993.<sup>2</sup>

Applicants' again direct the Examiner to the Declaration of inventor Dr. David Moore, filed December 28, 2001 (copy provided herewith), presenting documentation that Applicants obtained an exemplary RIP15 cDNA sequence prior to November 10, 1993. Because the claimed invention was reduced to practice prior to the earliest filing date of Liao, Liao cannot constitute prior art to the present claims under 35 U.S.C. § 102(e). This rejection should therefore be withdrawn.

---

<sup>2</sup> Applicants note that, because this reference is continuation-in-part application, the actual § 102(e) date may actually be the filing date of the continuation-in-part application, November 18, 1994.

Applicants also note that the Examiner contends that

The Declaration of Dr. Moore filed December 28, 2001 does not overcome the rejection because applicant did not provide [a] showing under 37 C.F.R. 1.608(b). See MPEP 2308.02.

Applicants again note that they believe that this Declaration is entirely appropriate and this basis of the rejection should therefore be withdrawn. Should the rejection be maintained, Applicants again respectfully request that the Examiner provided specific reasoning for the stated requirement.

Claims 7, 10, 13-14, 16, 27, 28, and 31-32 were also rejected under 35 U.S.C. § 102(b) as anticipated by Liao *et al.* (U.S.P.N. 5,639,616). As indicated above Applicants' present application claims priority to U.S. Application Ser. No. 08/372,652 (now U.S. Patent No. 5,932,699) filed January 13, 1995, which supports the present claims. Thus, Liao *et al.* (U.S.P.N. 6,639,616), which issued June 17, 1997, is not prior art to the claimed invention and this rejection should therefore be withdrawn.

## CONCLUSION


Applicants submit that this case is now in condition for allowance, and such action is respectfully requested.

A petition to extend the period for replying for three months, to and including April 6, 2005, and a check in payment of the required extension fee are also enclosed. Also enclosed is a Notice of Appeal.

If there are any other charges, or any credits, in connection with filing this brief, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 6 April 2005

  
\_\_\_\_\_  
Karen L. Elbing, Ph.D.  
Reg. No. 35,238

Clark & Elbing LLP  
101 Federal Street  
Boston, MA 02110  
Telephone: 617-428-0200  
Facsimile: 617-428-7045

*JAMES D. DE CAMP*  
*Reg. No. 43,580*